AMENDMENT NO. 1 MARCH 2021

TO

IS 15369 : 2017 CONSTRUCTION OF VAULT (STRONG-ROOM) — CODE OF PRACTICE

(First Revision)

(*Page* 3) — Add following after clause **6.1.6**

6.1.7 *Alternate Construction*

Alternatively, the vault of class C can be built using modular vault panels on all six sides, having burglary resistance in accordance with class C specifications as mentioned in IS 11188 (Part 1). [*See* IS 17541]

(*Page* 4, *clause* **6.2.7**) — Add following at the end:

[*See* IS 17541]

(*Page* 4) — Add following after clause **6.3.6**

6.3.7 *Alternate Construction*

Alternatively, the vault of class A can be built using modular vault panels on all six sides, having burglary resistance in accordance with class A specifications as mentioned in IS 11188 (Part 1). [*See* IS 17541]

(*Page* 5) — Add following after clause **6.4.6**

6.4.7 *Alternate Construction*

Alternatively, the vault of class AA can be built using modular vault panels on all six sides, having burglary resistance in accordance with class AA specifications as mentioned in IS 11188 (Part 1). [*See* IS 17541]

(*Page* 5) — Add following after clause **6.5.6**

6.5.7 *Alternate Construction*

Alternatively, the vault of class AAA can be built using modular vault panels on all six sides, having burglary resistance in accordance with class AAA specifications as mentioned in IS 11188 (Part 1). [*See* IS 17541]

(*Page* 6, *Annex* 1) — Add following at the end:

LIST OF REFERRED INDIAN STANDARDS

IS No.	*Title*
IS 17541 : 2021	Modular panel for security of premises — Specification

(MED 24)

Publication Unit, BIS, New Delhi, India